

Easy to follow instructions for these controller types:

- Pentair EasyTouch® & IntelliTouch®
- Jandy AquaLink® RS OneTouch™ (REV R-current)
 - Zodiac AquaLink TRi®

(Use your watch or phone to count the seconds accurately)

- Step 1: Set all the above controllers to IntelliBrite®.
- **Step 2:** Place panel in **Service Mode.** (use panel for switching lights on and off)
- Step 3: Make sure lights have been off for 1 minute.
- Step 4: Turn lights on for 2 seconds, then off for 12 seconds.
- Step 5: Repeat Turn lights on for 2 seconds, then off for 12 seconds.
- Step 6: Repeat again- Turn lights on for 2 seconds, then off for 12 seconds.
- **Step 7:** Turn on lights will be flashing RED. (if not, repeat steps 2 through 7).
- **Step 8:** Turn off and on until lights are **flashing WHITE**.
- Step 9: Turn off lights for at least one minute.

Your setup should now be complete. To confirm the system is working correctly, select a color via the controller or wall switch (depending on operating mode selected) and check to ensure all lights are synchronized and the correct color is displayed.

visit www.1 paramount.com/paraglo-mp-setup/ for additional video instructions





Easy to follow instructions for:

Hayward OmniLogic®

(Note: ProLogic® controls do NOT support Multi-Plus integration)

(Use your watch or phone to count the seconds accurately)

Step 1: Set controller to Universal ColorLogic®.

Step 2: Place panel in **Service Mode.** (use panel for switching lights on and off)

Step 3: Make sure lights have been off for **1 minute**.

Step 4: Turn lights on for 2 seconds, then off for 12 seconds.

Step 5: Repeat - Turn lights on for 2 seconds, then off for 12 seconds.

Step 6: Repeat again- Turn lights on for 2 seconds, then off for 12 seconds.

Step 7: Turn on lights - will be flashing RED. (if not, repeat steps 2 through 7).

Step 8: Turn off and on until lights are **flashing YELLOW**.

Step 9: Turn off lights for at least one minute.

Your setup should now be complete. To confirm the system is working correctly, select a color via the controller or wall switch (depending on operating mode selected) and check to ensure all lights are synchronized and the correct color is displayed.

visit www.1 paramount.com/paraglo-mp-setup/ for additional video instructions





Instructions for when

new Multi-Plus and existing P-Type are used together

(this allows WHITE colors to match).

(Use your watch or phone to count the seconds accurately)

- Step 1: Set controller to IntelliBrite®.
- **Step 2:** Place panel in **Service Mode.** (use panel for switching lights on and off)
- Step 3: Make sure lights have been off for 1 minute.
- Step 4: Turn lights on for 2 seconds, then off for 12 seconds.
- **Step 5:** Repeat Turn lights **on for 2 seconds**, then **off for 12 seconds**.
- Step 6: Repeat again- Turn lights on for 2 seconds, then off for 12 seconds.
- **Step 7:** Turn on lights will be flashing RED. (if not, repeat steps 2 through 7).
 - Note: only the Multi-Plus lights will be flashing RED
- **Step 8:** Turn off and on until lights are **flashing PINK**.
- Step 9: Turn off lights for at least one minute.

Your setup should now be complete. To confirm the system is working correctly, select a color via the controller or wall switch (depending on operating mode selected) and check to ensure all lights are synchronized and the correct color is displayed.

visit www.1 paramount.com/paraglo-mp-setup/ for additional video instructions





Instructions for when

new Multi-Plus and existing Multi-Color are used together

(this allows WHITE colors to match).

(Use your watch or phone to count the seconds accurately)

- **Step 1:** Use wall switch for turning on and off lights.
- **Step 2:** Make sure lights have been off for **1 minute**.
- Step 3: Turn lights on for 2 seconds, then off for 12 seconds.
- **Step 4:** Repeat Turn lights **on for 2 seconds**, then **off for 12 seconds**.
- Step 5: Repeat again- Turn lights on for 2 seconds, then off for 12 seconds.
- **Step 6:** Turn on lights will be flashing RED. (if not, repeat steps 2 through 7).
 - Note: only the Multi-Plus lights will be flashing RED
- **Step 7:** Turn off and on until lights are **flashing BLUE**.
- **Step 8:** Turn off lights for at least one minute.

Your setup should now be complete. To confirm the system is working correctly, select a color via the controller or wall switch (depending on operating mode selected) and check to ensure all lights are synchronized and the correct color is displayed.

visit www.1 paramount.com/paraglo-mp-setup/ for additional video instructions

