



CERTIFICATE OF CONFORMITY

SDX2 HIGH FLOW SAFETY DRAIN

Submerged Suction Outlet For Single or Multiple Drain Use For Use on Wall and Floor No Sump Required

The SDX2 High Flow Safety Drain is a 10" diameter frame and grate or bulkhead style drain fitting. It includes a back plate and cover that is affixed to a frame, a bulkhead or an existing drain sump. SDX2 Retro replaces most existing drain covers up to 10" in diameter.

FLOW RATING FLOOR WALL

One SDX2 OR SDX2 Retro 188 GPM Floor/154 GPM Wall

Square Inches of opening = 43.201 sq. inches Velocity @ 188 GPM = 1.396 fps

PLACE OF MANUFACTURE:

Paramount Pool & Spa Systems 295 E. Corporate Place Chandler, AZ 85225 USA (480) 893-7607

NAME OF THIRD PARTY LABORATORY: IAPMO R&T LAB

TEST RECORD DOCUMENTATION: IAPMO R&T

5001 E. Philadelphia Street Ontario, CA 91761

(909) 472-4104 Test Report-March 17, 2011



COMPLIANT WITH:

- Virginia Graeme Baker Pool and Spa Safety Act
- ASME A112. 19.8-2007
- ANSI/APSP 7
- IAPMO Listed

SDX2 Part Numbers:

Concrete	004-162-2231-XX
Vinyl	004-172-2231-XX
Fiberglass	004-182-2231-XX
Retro	004-192-2231-XX

Install date:_____

Replacement 05 years from install date:____

LIFE SPAN: 05 YEARS FROM DATE OF INSTALLATION

NOTE: Suction Safety Standards require that drain gates used to cover sumps must have the suction pipes cut at least 1.5 times the pipe diameter behind the drain cover. There is NO SUMP requirement for SDX2 because the patented design provides uniform suction regardless of pipe location. If the pipe is too close to the back of the cover, it may restrict water flow to the pump, potentially reducing hydraulic efficiency, but this does not pose a suction safety hazard. This is confirmed by the IAPMO Test Report.

This Product must be installed in accordance with all applicable Federal, State and Local Codes.

ECN_1140